## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.

	(i)		
·			

CROCUS



PRIMULA

U. S. Department of Agriculture

1949

PRIMULA PLANTS

1949

Each plant is individually wrapped in attractive wrapper suitable to counter display. Plants are shipped as they come into bloom for best sales appearance, or, as customer requests, during flowering period.

Bare-root plants (not in flower) packed in damp moss, will be shipped for lining out, only of varieties thus listed. Bare-root shipments at purchaser's risk, from March 1st to November 10th.

The following quotations are for deliveries Spring of 1949, f.o.b. Oakville, Wash.

SPECIES		per 100 Bare-root
denticulata caschmeriana India Large globular heads of lilac-blue, 18 to 25 inch		
stems bare of leaves. Large, mealed basal leaves.	\$ 22.00	
denticulata caschmeriana alba A white form of the above.	22.00	
japonica Japan		
Various shades of white through pink to red, borne whorl above whorl on the stem. Large crinkled leaves. sieboldi Japan	23.00	
Loose umbels of lacy edged flowers on wiry $8$ inch stems. Pastel shades from white through pink to lilac.	17.00	\$ 12.00
DOUBLE ACAULIS HYBRIDS		
Double lavender Plants with somewhat small foliage. Flowers are very double rosettes borne on individual stems six inches or		
more in length. Desired by florists for corsage work.	27.00	23.00
Double white Foliage slightly larger than the lavender form. Flowers very double, clear white; slight pink blush with age.	27.00	23.00
SINGLE BLUE ACAULIS		
Assorted Shades		
Grown from divisions from selected specimens out of mixed blue seedlings. All good blues.	22.00	17.00

10 plants of a variety at the 100 rate. Less quantities add 10% to the 100 rate.

jari 1 e ( 1.1 1.1 1.4